

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## **EU Type Examination Certificate**

Date: 2021/10/07 n. **773214008/OE** Validity: 2026/10/06

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	<b>DIKE srl</b> Vi <mark>a</mark> Dell'Industria, 4 – <mark>35023 Bag</mark> noli di Sopra (PD <mark>)</mark> – ITALIA
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)
Category of PPE:	II: "medium" risks.  This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.

Model "32118 RUNNER" col. ocean (193)

Description: model: A (low shoe);

<u>fastening system</u>: by means of laces;

processing: RIM (reaction injection mould);

outsole: green PU "pu reload dike bicolore grano-garden esd (gomma)" (61ES0001);

midsole: beige PU;

outer toe tip reinforcement: black polymeric layer;

<u>upper</u>: blue/black fabric "PABLO SPALMATO TR/HM/REMO BCO/FELTRO/FELTEC gr.180 BCO, COL.ROYAL" (24TT6130), blue leather "CROSTA SCAMOSCIATA RETINATA HYDRO S2 EN ISO 20344:2011 SP.1,4/1,6 COL. OLTREMARE" (13BS1101);

tongue: blue/black fabric "PABLO SPALMATO TR/HM/REMO BCO/FELTRO/FELTEC gr.180 BCO, COL.ROYAL" (24TT6130);

<u>bellows</u>: black fabric "TECNIC 11081 + CALIF.5005 NERO IDRO ACC.RES\_NERO" (21SX0544);

vamp lining: light grey felt "TETRA gr/mq 300 \_ GRIGIO MALEO" (24TF0630);

<u>quarter lining</u>: multicolor fabric "LIPSMITH (art. philip stampato smith multicolore 1)+MTP FINITO BCO\_MULTICOLORE" (24TF3990);

heel-grip lining: black fabric "BAMBI 140 NERO + TOWER NERO" (21ST4180);

<u>insole</u>: white multilayer felt "LAMINA ANTIPERFORAZIONE ART.IBISAFE D31-K36-IK1 CONDUCTIVE a norma EN12568:2010" (27ST1080), <u>which also serves as penetration</u> resistant insert;

removable insock: black and multicolor foam with black textile in contact with the user marked DIKE "SOLETTA ART.JUMPER ARNEPLANT" (27SP1144);

toecap: aluminum toecap, art. 604 R ALUSTRATEGY (37LA0102).

Provided also with optional and interchangeable orthopaedic insocks SECOSOL®, see

"Annex 827211301/E".

(UNI EN ISO 20345:2012)

Technical Standard: EN ISO 20344:2011 Personal protective equipment – Test methods for footwear

(UNI EN ISO 20344:2012) EN ISO 20345:2011

Personal protective equipment – Safety footwear

Intended use: general industry, engineering industry, agriculture, warehouses, works on trucks, cranes.

Size range: from 38 to 47



## DBD No 0330 B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





## **EU Type Examination Certificate**

Date: 2021/10/07 n. **773214008/OE** Validity: 2026/10/06

Technical File:	DC-13759
Test report:	RCT n°4012901.01/E
Functions and performance levels:	basic requirements for safety footwear (SB) (see Table 2 and 3 of EN ISO 20345:2011): al mandatory ones, among which:
	<ul> <li>SRC = Slip resistance – meets the following requirement:</li> <li><u>surface</u>: ceramic / <u>lubricant</u>: detergent solution;</li> <li><u>surface</u>: steel / <u>lubricant</u>: glycerol.</li> </ul>
	Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011):  \$1 = closed seat region, antistatic properties, energy absorption of seat region resistance to fuel oil; P = penetration resistance of the sole.
	Note 1: the penetration resistance of the synthetic stitch proof insole tends to decrease with the diameter of the perforating object; in return the synthetic insole offers more protective surface and ergonomics advantages (flexibility, insulation, humidity and impact absorption).  Note 2: the footwear also meets the requirement in accordance with IEC 61340-5-1:2016 (IEC 61340-4-3:2017) for the electrical resistance ESD (electric dissipative footwear).
Marking:	on a stitched label and displaying the following information:  - CE Marking;  - Name/Logo of the Manufacturer;  - designation of the footwear (alphanumeric article code);  - nr. and year of the Standard of reference + safety symbols;  - size of the footwear (printed on the outsole);  - month and year of production date (also printed on the outsole, with clock indicator);





NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements.

The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

